



**Hella marine**



Turn up the party, Select the mood,  
Switch on the fish magnets.



**APELO**  
Underwater Lighting Brilliance

# APELO

## Underwater Lighting Brilliance

Turn up the party, select the mood, switch on the fish magnets.

Apelo underwater lighting brilliance by Hella marine lets you do it all.

Select between incredibly intense white or vibrant blue for amazing illumination experiences.

Take complete control and choose any colour you wish with Apelo RGB.



## Apelo A1 POLYMER 1800 Lumen

- Intense white and vibrant blue illumination, or select Apelo RGB\* for complete control of the colour spectrum
- Optical Intelligence: Wide horizontal illumination with a narrow vertical angle for spectacular effect
- Corrosion resistant thermal polymer housing and Grilamid high strength nylon lens
- Completely sealed and electronically protected
- Robust surface mount design
- Advanced thermal management ensuring ongoing protection and no damage by operation out of the water
- Charcoal or white lens
- Suitable for hulls of any material



Specifications	
Lumen	1800 (White)
Lens Material	Premium grade UV Stable, Impact resistant Nylon (Grilamid)
Base Material	Corrosion proof Advanced Thermal Polymer
Colour Temperature	5000K (White)
Pre-wired Cable	2.5m / 8.2ft, tinned marine cable
Operating Voltage	Multivolt 9-32V DC, 12/24V DC Nominal
Voltage Protection	Spike protected to +500 volts, Reverse polarity protected to -700 volts.
Power Consumption	White / Blue 20W / 1.7A @ 12V, 0.9A @ 24V RGB 15W / 1.25A @ 12V, 0.7A @ 24V
Degree of Protection	IP68 / IP69: Suitable for submersion in operation and high pressure water jet cleaning
Weight (incl. cable)	White / Blue 250g RGB 300g
Installation	Transom / Surface mount with robust mounting system
Diameter	95mm / 3, 3/4"
Approvals	EN55015 / CISPR 15, IEC60533, IEC61547, ICES-5

### Apelo A1 Part Numbers

Light Colour	White Lens	Charcoal Lens
White / Blue	2LT 016 145-011	2LT 016 145-001
RGB	2LT 016 146-011	2LT 016 146-001

\* Connect Apelo RGB lamps to an RGB lighting controller for unlimited colour selection.

# Apelo A2 showcases Edge Light technology

Distinctive glowing signatures of elegant illumination bordering the lamp front.

Light up with **Edge Light** anytime!  
Illuminate your transom with a unique effect whilst launching or retrieving or while sitting on the boat lift. Light up during wash down, flushing engines or when loading gear.

**Edge Light** is bright enough to shine in daylight without the brilliant intensity of the main Apelo underwater light mode so your friends will not be blinded!



## Apelo A2 ALUMINIUM 3000 Lumen

- Intense white and vibrant blue illumination, or select Apelo RGB\* for complete control of the colour spectrum
- Edge Light technology
- Optical Intelligence: Wide horizontal illumination with a narrow vertical angle for spectacular effect
- Corrosion resistant hard anodised aluminium housing and Grilamid high strength nylon lens
- Completely sealed and electronically protected
- Robust surface mount design
- Advanced thermal management ensuring ongoing protection and no damage by operation out of the water
- Suitable for aluminium, fibreglass, timber, and composite hulls



White / Blue



RGB\*



Edge Light



Specifications	
<b>Lumen</b>	3000 (White)
<b>Lens Material</b>	Premium grade UV Stable, Impact resistant Nylon (Grilamid)
<b>Base Material</b>	Hard Anodised Aluminium
<b>Colour Temperature</b>	5000K (White)
<b>Pre-wired Cable</b>	2.5m / 8.2ft, tinned marine cable
<b>Operating Voltage</b>	Multivolt 9-32V DC, 12/24V DC Nominal
<b>Voltage Protection</b>	Spike protected to +500 volts, Reverse polarity protected to -700 volts.
<b>Power Consumption</b>	White / Blue 30W / 2.5A @ 12V, 1.3A @ 24V RGB 30W / 2.5A @ 12V, 1.3A @ 24V Edge Light <2W / <0.2A@12V, <0.1A @ 24V
<b>Degree of Protection</b>	IP68 / IP69: Suitable for submersion in operation and high pressure water jet cleaning
<b>Weight (incl. cable)</b>	White / Blue 310g RGB 360g
<b>Installation</b>	Transom / Surface mount with robust mounting system
<b>Diameter</b>	95mm / 3, 3/4"
<b>Approvals</b>	EN55015 / CISPR 15, IEC60533, IEC61547, ICES-5

### Apelo A2 Aluminium Part Numbers


Light Colour	Charcoal Lens
White / Blue	2LT 016 147-001
RGB	2LT 016 148-001

\* Connect Apelo RGB lamps to an RGB lighting controller for unlimited colour selection.

# Optical intelligence is the heart of Hella marine lighting

Apelo introduces a precision engineered optical distribution system, efficiently capturing and projecting light.

The result is a wide horizontal spread of colour across the water with spectacular effect.



**Wide 90° spread of illumination.**

## Apelo A2 BRONZE 3000 Lumen



- Intense white and vibrant blue illumination, or select Apelo RGB\* for complete control of the colour spectrum
- Edge Light technology
- Optical Intelligence: Wide horizontal illumination with a narrow vertical angle for spectacular effect
- Corrosion resistant marine grade bronze housing and Grilamid high strength nylon lens
- Completely sealed and electronically protected
- Robust surface mount design
- Advanced thermal management ensuring ongoing protection and no damage by operation out of the water
- Suitable for fibreglass, timber, steel, and composite hulls

Specifications	
Lumen	3000 (White)
Lens Material	Premium grade UV Stable, Impact resistant Nylon (Grilamid)
Base Material	Marine grade bronze
Colour Temperature	5000K (White)
Pre-wired Cable	2.5m / 8.2ft, tinned marine cable
Operating Voltage	Multivolt 9-32V DC, 12/24V DC Nominal
Voltage Protection	Spike protected to +500 volts, Reverse polarity protected to -700 volts.
Power Consumption	White / Blue 30W / 2.5A @ 12V, 1.3A @ 24V
	RGB 30W / 2.5A @ 12V, 1.3A @ 24V
	Edge Light <2W / <0.2A @ 12V, <0.1A @ 24V
Degree of Protection	IP68 / IP69: Suitable for submersion in operation and high pressure water jet cleaning
Weight (incl. cable)	White / Blue 600g
	RGB 650g
Installation	Transom / Surface mount with robust mounting system
Diameter	95mm / 3, 3/4"
Approvals	EN55015 / CISPR 15, IEC60533, IEC61547, ICES-5



### Apelo A2 Bronze Part Numbers


Light Colour	White Lens
White / Blue	2LT 016 147-101
RGB	2LT 016 148-101

\* Connect Apelo RGB lamps to an RGB lighting controller for unlimited colour selection.

# Optical intelligence in action across the transom

**APELO**  
Underwater Lighting Brilliance

Apelo features an asymmetric light pattern with a narrow vertical angle to focus light efficiently below the waterline.



#### New Zealand Made

Designed and manufactured in New Zealand.



#### 5 Year Warranty

All LED based lighting products manufactured by Hella marine carry a 5 year warranty covering faults in material, components or workmanship.



#### Multivolt Technology for Durability

Full light performance and automatic compensation for low battery voltages and voltage drop across long cables and connections. Reverse polarity and spike protected for enhanced durability even under severe voltage fluctuations.



#### Electromagnetic Compatibility (EMC)

Apelo components suppress possible interference, preventing possible interference with radio, communication, navigation and other electrical equipment.



#### IP68 & IP69 - Completely Sealed

Preventing moisture from corroding internal LED electronics is vital for long term durability. Apelo lamps are completely sealed and purpose designed for underwater installations.



#### Edge Light Technology

Apelo A2 showcases Edge Light, distinctive glowing signatures of elegant illumination bordering the lamp front.



#### Optical Intelligence

Apelo lamps project a wide horizontal spread of colour across the water with spectacular effect. Asymmetric light patterns focus light efficiently below the waterline.



#### Outstanding UV and Impact Resistance

Apelo features advanced impact resistant polymers that will not yellow or deteriorate even after extreme exposure to UV.



#### Dry Running Protected

Advanced thermal management ensuring ongoing protection and no damage by operation out of the water.



#### Lightspeed™ Recommended

Hella marine recommends Lightspeed™ by Propspeed®, a foul-release coating to protect Apelo underwater lights and maintain their underwater brilliance. Lightspeed™ is tested to provide no decrease in light intensity, no colour shift and no other adverse performance decreases.

# Spectacular colour at your fingertips



## Apelo A1 White / Blue



White

Blue

Toggle to select white or blue light.



## Apelo A2 White / Blue



White

White Strobe

Blue

Blue Strobe

Toggle to cycle through modes.




## Apelo A1 & Apelo A2 RGB

Connect Apelo RGB lamps to an RGB lighting controller for unlimited colour selection.



## Robust Surface Mount Design



High strength mounting system.  
Fastenings included.


## Pre-wired with 2.5m marine cable

### Apelo A1 and Apelo A2 White / Blue lamps




Toggle to select constant or strobing blue or white light.

### Apelo A1 and Apelo A2 RGB lamps




Connect to an RGB controller for unlimited colour control.

# Manufacturing Excellence



## Apelo Dimensions





Hella marine

# APELO

Underwater Lighting Brilliance

**Austria**  
Ascherl Botzbehör  
Hard (Bregenz)  
Tel: +43 557489900-0  
office@ascherl.at  
www.Ascherl.at

**Croatia**  
M.A.G.-D.D d.o.o.  
Šibenik  
Tel: +385 22 337-177  
info@magdd.hr  
magdd.hr

**Denmark**  
Hella A/S  
Aabenraa  
Tel: +45 73 30 36 11  
michael.simonsen@hella.dk  
www.hellamarine.com

**England**  
ASAP Supplies  
Beccles, Suffolk  
Tel: +44 (0) 1502 716993  
sales@asap-supplies.com  
www.asap-supplies.com

Furneaux Riddall  
Portsmouth  
Tel: +44 23 9266 8621  
sales@furneauxriddall.com  
www.furneauxriddall.com.

Western Electrical  
Plymouth  
Tel: +44 (0)1752 484290  
sales@eel.co.uk  
www.westernmarinesales.co.uk

**Estonia**  
KGK Knutsson AS  
Tallinn  
Tel: +372 6519300  
kgk@kgk.ee

**France**  
Hella France  
Le Blanc Mesnil  
Tel: +33 1 49 39 59 59  
Fax: +33 1 49 39 59 06  
hellamarine.france@hella.com  
www.hellamarine.com

VDM Reya  
La Garde  
Tel: +33 (0)7 63 95 73 35  
Fax: +33 (0)4 94 08 77 79  
b.massard@vdm-reya.com  
www.vdm-reya.com

**Finland**  
OY Maritim AB  
Helsinki  
Tel: +358-207-652705  
Fax: +358-207 652 945  
info@maritimshops.fi  
www.Maritim.Fi

**Germany**  
Hella GmbH & Co. KG  
Lippstadt  
Tel: +49 2941-386644  
rita.mueller@hella.com  
www.hellamarine.com

Bukh Bremen  
Bremen  
Tel: +49(0)421-53507-0  
info@bukh-bremen.de  
www.bukh-bremen.de

**Greece**  
Nautilus Yacht Equipment S.A.  
55132 Thessaloniki  
Tel: +30 (0)210 9855300  
info@nautilus.gr  
www.nautilus.gr

D. Koronakis S.A.  
18545 Piraeus  
Tel: +30 (0)210 4060600  
marine@koronakis.gr  
www.koronakis.gr

**Italy**  
Motomarine SRL  
Trieste  
Tel: 040/225571  
info@motomarine.it  
www.motomarine.it

N.E.E.A. Srl  
Sanremo  
Tel: 0184/513161  
Fax: 0184/513168  
marcomartini@neearl.com  
www.neearl.com

**Latvia**  
KGK Knutsson SIA  
Mārupe  
Tel: +371 26 499 811  
kgk@kgk.lv  
www.kgk.lv

**Netherlands**  
HELLA Marine Europe  
3439 NC Nieuwegein  
M: +31 (0)6-51336164  
rene.van.miltenburg@hella.com  
www.hellamarine.com

Exalto  
Hardinxveld- Giessendam  
Tel: +31 184615800  
sales@exalto.com  
www.exalto.com

Allpa  
Nijmegen  
Tel: +31 243777773  
info@allpa.nl  
www.Allpa.nl

**Norway**  
NDS - Nordic Distribution &  
Service  
Skytta  
Tel: +47 67 06 60 00  
Fax: +47 67 06 60 10  
marine@nds-group.no  
www.nds-group.no

Norway Marine Supply AS  
Arendal  
Tel: +47 37 00 03 50  
salg@nmsproff.no  
www.nmsproff.no

**Poland**  
Eljacht  
Gdansk  
Tel: +48 583207024  
info@eljacht.pl  
www.eljacht.pl

**Portugal**  
Nautiradar  
Lisboa  
Tel: +351 21 3005050  
commercial@nautiradar.pt  
www.nautiradar.pt

**Slovenia**  
Stal Mar d.o.o  
Ljubljana  
Tel: +386 14233540  
info@stal.si  
www.stalmar.si

**Spain**  
Imnasa  
Girona  
Tel: +34 90210334  
info@imnasa.com  
www.imnasa.com

**Sweden**  
KGK Knutsson AB  
Stockholm  
Tel: +46 (0)8-92 30 00  
Support@kgk.se  
www.marinkatalogen.se

**Turkey**  
MARINTEK DENİZ VE YAT  
MALZEMELERİ TİC. A.Ş.  
İstanbul  
Tel: +90 216 317 1010  
aytug@marintek.com.tr  
www.marintek.com

## Apelo A1 POLYMER 1800 Lumen

White / Blue

RGB



Light Colour	White Lens	Charcoal Lens
White / Blue	2LT 016 145-011	2LT 016 145-001
RGB	2LT 016 146-011	2LT 016 146-001

## Apelo A2 ALUMINIUM 3000 Lumen

White / Blue

RGB

Edge Light



Light Colour	Charcoal Lens
White / Blue	2LT 016 147-001
RGB	2LT 016 148-001

## Apelo A2 BRONZE 3000 Lumen

White / Blue

RGB

Edge Light



Light Colour	White Lens
White / Blue	2LT 016 147-101
RGB	2LT 016 148-101



facebook.com/hellamarine  
youtube.com/user/hellamarine

instagram.com/hellamarineglobal  
linkedin.com/company/hella-marine

www.apelobrilliance.com